



Avoid tooling costs, high minimum runs, and long lead times with a stock clamshell solution.

Part #	Overall Outside		Cavity Dimensions			Card Dimensions		Thickness	Case Quantity
	Dimensions		*Length	Area		Area			
	Length	Width		Width	Depth	Length	Width		
037266	4.375	2.688	1.000	1.625	0.688	3.437	2.468	0.015	300
966392	3.750	1.875	1.062	1.062	0.500	2.937	1.687	0.015	500
083315	4.813	2.688	1.125	1.750	0.875	4.031	2.500	0.015	250
843681	4.813	2.688	1.187	1.875	0.500	4.031	2.500	0.015	300
251523	3.806	1.938	1.195	1.600	0.750	2.647	1.411	0.015	500
326374	4.375	2.688	1.250	1.750	1.000	3.437	2.468	0.015	300
279TF	6.875	4.875	1.441	3.107	0.236	5.750	4.375	0.015	400
034532	4.000	1.562	1.562	0.813	0.875	3.062	1.375	0.015	500
064406	2.750	1.875	1.687	1.500	0.750	1.687	1.500	0.015	300
449346	5.500	3.625	2.062	2.813	1.000	4.531	3.406	0.018	50
105TF	6.125	3.125	2.125	2.125	0.187	4.937	2.562	0.010	1000
285TF	6.875	4.875	2.185	1.763	0.314	5.750	4.375	0.015	400
675306	3.625	2.750	2.187	2.000	1.250	2.531	2.375	0.018	225
207TF (P)	7.563	3.500	2.250	2.250	1.437	6.438	3.079	0.020	500
176TF	5.625	4.000	2.300	3.020	1.062	4.589	3.622	0.015	500
177TF	5.625	4.000	2.305	3.497	0.322	4.589	3.622	0.015	500
095714	3.475	1.562	2.312	1.187	0.687	2.500	1.187	0.015	300
100TF	6.125	3.125	2.312	2.312	0.500	4.937	2.562	0.010	1000
102TF	6.125	3.125	2.312	2.312	0.688	4.937	2.562	0.012	1000
101TF	6.125	3.125	2.312	2.312	0.875	4.937	2.562	0.012	1000
827808	5.587	2.938	2.369	2.525	0.750	4.430	2.386	0.015	80
181TF	5.625	4.000	2.380	3.519	0.796	4.589	3.622	0.015	500
179TF	5.625	4.000	2.432	3.139	1.370	4.589	3.622	0.015	500
051290	3.375	1.875	2.437	1.562	0.500	2.437	1.562	0.015	250
180TF	5.625	4.000	2.441	1.562	0.796	4.589	3.622	0.015	500
046458	6.438	2.688	2.500	2.823	0.796	4.589	3.622	0.015	500
203TF	7.563	3.500	2.500	1.813	1.437	5.406	2.468	0.020	150
203TF	7.563	3.500	2.514	Round	1.000	6.438	3.079	0.015	500
91TF	6.062	2.250	2.674	1.625	0.750	4.970	1.845	0.015	1000
398294	5.587	2.938	2.688	2.580	2.000	4.381	2.344	0.018	450
341719	5.625	2.875	2.798	1.875	1.750	4.594	2.688	0.020	150
010978	3.806	1.938	2.831	1.600	0.750	2.619	1.384	0.015	550
178TF	5.625	4.000	2.935	Round	0.625	4.589	3.622	0.015	500
210TF	7.563	3.500	2.937	2.338	1.055	6.438	3.079	0.015	500
397609	4.000	1.562	3.045	1.250	1.000	3.000	1.250	0.017	600
283TF	6.875	4.875	3.060	4.075	2.500			0.020	350
287TF	6.875	4.875	3.060	4.108	1.438	5.750	4.375	0.020	400
282TF	6.875	4.875	3.062	4.108	2.820			0.020	400
202TF	7.563	3.500	3.110	2.875	1.250	6.438	3.079	0.015	500
209TF	7.563	3.500	3.175	2.821	0.500	6.438	3.079	0.015	500
284TF	6.875	4.875	3.187	3.457	1.000	5.750	4.375	0.015	400
416830	6.438	2.688	3.250	1.688	2.125	5.406	2.468	0.025	125
200TF	7.437	3.625	3.250	2.875	1.000	6.437	3.140	0.015	500
400TF	8.125	5.000	3.269	Round	1.125	7.125	4.375	0.020	300
215TF	7.563	3.500	3.375	2.912	0.500	6.438	3.079	0.015	500
028532	4.813	2.688	3.375	2.000	1.250	3.813	2.375	0.017	200
418TF	8.125	5.000	3.424	3.067	1.313	7.125	4.375	0.020	300
001636	6.588	2.938	3.424	2.580	1.250	5.384	2.354	0.018	400
049393	6.588	3.940	3.437	3.580	1.250	5.384	3.354	0.018	320
291062	4.375	1.875	3.600	1.562	0.500	3.437	1.562	0.017	450
107TF	6.125	3.125	3.682	1.349	0.625	4.937	2.562	0.012	1000
281TF	6.875	4.875	3.688	Round	1.866	5.750	4.375	0.020	400
004764	4.813	2.688	3.750	2.313	0.750	3.813	2.375	0.017	250
275TF	7.000	5.000	3.798	3.750	1.625	5.750	4.343	0.015	400
054386	4.806	1.938	3.856	1.600	1.250	3.622	1.386	0.015	500
514525	6.588	4.938	4.000	4.262	2.250	5.430	4.386	0.018	75
245426	5.063	1.562	4.000	1.187	1.125	4.062	1.187	0.024	350
108TF	6.125	3.125	4.000	2.000	1.000	4.951	2.587	0.015	500
276TF	6.875	4.875	4.010	Round	0.875	5.750	4.375	0.015	400
417TF	8.125	5.000		2.196	1.101	7.125	4.375	0.015	300



Avoid tooling costs, high minimum runs, and long lead times with a stock clamshell solution.

Part #	Overall Outside		Cavity Dimensions			Card Dimensions		Thickness	Case Quantity
	Dimensions		*Length	Area		Area			
	Length	Width		Width	Depth	Length	Width		
208TF	7.563	3.500	4.020	2.209	1.101	6.438	3.079	0.015	500
413TF	8.125	5.000	4.062	1.937	0.500	7.125	4.375	0.015	300
407TF	8.125	5.000	4.062	4.062	1.625	7.125	4.375	0.020	300
213TF	7.563	3.500	4.102	2.142	0.249	6.438	3.079	0.015	500
801TF	5.562	6.000	4.199	5.194	1.000	4.460	5.460	0.015	350
802TF	5.562	6.000	4.199	5.194	1.500	4.460	5.460	0.015	350
803TF	5.562	6.000	4.199	5.194	2.500	4.460	5.460	0.015	350
419TF	8.125	5.000	4.229	3.891	1.990	7.125	4.375	0.020	300
023020	6.700	4.200	4.250	3.460	1.075	5.748	3.738	0.170	270
416TF	8.125	5.000	4.285	3.849	1.038	7.125	4.375	0.015	300
421TF	8.125	5.000	4.310	1.751	1.073	7.125	4.375	0.015	300
420TF	8.125	5.000	4.318	3.940	1.990	7.125	4.375	0.020	300
585TF	10.875	6.812	4.428	5.881	1.750	9.750	6.250	0.020	225
412TF	8.125	5.000	4.437	2.562	1.312	7.125	4.375	0.020	300
456222	5.500	3.687	4.438	3.312	0.750	4.437	3.312	0.020	150
211TF	7.563	3.500	4.440	2.726	1.373	6.438	3.079	0.020	500
109TF	6.125	3.125	4.500	1.960	1.250	4.951	2.587	0.015	500
175TF	5.625	4.000	4.500	3.562	0.032	4.589	3.622	0.015	650
277TF	6.875	4.875	4.687	4.125	2.000	5.750	4.375	0.020	400
278TF	6.875	4.875	4.750	4.125	1.500	5.750	4.375	0.020	400
92TF	6.062	2.250	4.821	1.625	1.000	4.970	1.845	0.015	1000
393TF	8.375	3.812	4.821	2.751	0.807	7.890	3.250	0.015	400
586TF	10.875	6.812	4.826	5.887	2.438			0.015	250
422TF	8.125	5.000	4.875	4.014	3.881			0.020	300
204TF	7.563	3.500	4.875	2.375	1.000	6.438	3.079	0.015	500
414TF	8.125	5.000	4.910	3.000	0.957	7.125	4.375	0.015	300
503TF	10.750	5.125	4.937	4.305	1.422	9.625	4.587	0.018	300
375TF	9.687	3.500	4.937	2.875	1.000	8.500	3.062	0.015	400
376TF	9.687	3.500	4.975	2.875	1.312	8.500	3.062	0.015	400
079132	11.000	5.200	5.000	4.360	1.437	9.658	4.613	0.020	120
206TF	7.563	3.500	5.000	2.750	1.312	6.438	3.079	0.020	500
300TF	6.375	7.500	5.000	6.625	1.625			0.015	250
301TF	6.375	7.500	5.062	6.625	2.165			0.015	250
302TF	6.375	7.500	5.123	6.625	3.500			0.018	250
405TF	8.125	5.000	5.123	3.375	1.687	7.125	4.375	0.015	300
583TF	10.875	6.812	5.125	4.590	2.125	9.750	6.250	0.020	225
582TF	10.875	6.812	5.125	4.590	4.375			0.020	225
939128	6.562	3.688	5.175	2.938	1.625	5.563	3.125	0.020	50
751TF	9.375	7.250	5.214	5.125	0.500	8.250	6.625	0.015	350
304TF	6.375	7.500	5.223	6.863	1.992	5.441	7.128	0.018	250
305TF	6.375	7.500	5.312	5.214	0.500	5.441	7.128	0.015	250
303TF	6.375	7.500	5.400	6.904	1.471	5.441	7.128	0.015	250
322289	6.375	2.687	5.424	2.312	0.875	5.312	2.250	0.020	200
391TF	8.375	3.812	5.430	2.780	1.560	7.890	3.250	0.020	400
592969	7.588	2.938	5.432	2.580	1.250	6.381	2.344	0.020	350
292TF	8.937	4.219	5.439	2.604	2.166	8.000	3.937	0.020	250
492684	6.562	4.938	5.501	4.437	1.250	5.430	4.386	0.018	80
392TF	8.375	3.812	5.527	3.166	1.700	7.890	3.250	0.020	350
212TF	7.563	3.500	5.542	1.586	1.365	6.438	3.079	0.020	500
214TF	7.563	3.500	5.560	1.037	0.626	6.438	3.079	0.015	500
394TF	8.375	3.812	5.648	3.141	0.856	7.890	3.250	0.015	400
002414	6.588	3.940	5.655	3.580	1.250	5.381	3.344	0.018	320
415TF	8.125	5.000	5.750	4.250	1.187	7.125	4.375	0.020	300
262TF	8.000	3.500	5.750	2.748	1.000	6.875	3.062	0.015	500
424TF	8.125	5.000	5.804	4.225	0.375	7.125	4.375	0.015	300
286TF	6.875	4.875	5.812	4.375	0.032	5.750	4.375	0.015	500
576TF	10.875	6.812	5.750	5.750	1.375	9.750	6.250	0.015	250
395TF	8.375	3.812		3.231	1.281	7.890	3.250	0.015	400
408TF	8.125	5.000		3.375	0.625	7.125	4.375	0.020	300



Avoid tooling costs, high minimum runs, and long lead times with a stock clamshell solution.

Part #	Overall Outside		Cavity Dimensions			Card Dimensions		Thickness	Case Quantity
	Dimensions		*Length	Area		Length	Width		
	Length	Width		Width	Depth				
423TF	8.125	5.000	5.817	3.895	0.796	7.125	4.375	0.015	300
401TF	8.125	5.000	6.000	2.562	1.312	7.125	4.375	0.020	300
402TF	8.125	5.000	6.000	2.562	2.000	7.125	4.375	0.020	300
205TF	7.563	3.500	6.000	2.687	1.125	6.438	3.079	0.015	500
786802	7.500	2.750	6.125	2.000	1.250	6.313	2.250	0.020	150
409TF	8.125	5.000	6.187	3.750	1.625	7.125	4.375	0.020	300
410TF	8.125	5.000	6.187	3.750	2.250			0.020	300
099462	7.750	1.875	6.188	1.188	1.250	6.562	1.500	0.017	250
836263	7.750	1.875	6.188	1.313	0.750	6.562	1.500	0.015	250
589TF	10.875	6.812	6.210	5.994	1.542	9.750	6.250	0.015	250
261TF	8.000	3.500	6.250	2.625	1.250	6.875	3.062	0.015	500
015357	7.750	6.875	6.250	6.062	1.250	6.500	6.375	0.020	75
584TF	10.875	6.812	6.275	5.766	4.531			0.024	200
411TF	8.125	5.000	6.312	3.812	0.625	7.125	4.375	0.015	300
753TF	9.375	7.250	6.362	5.766	1.557	8.250	6.625	0.020	225
201TF	7.563	3.500	6.375	2.437	1.000	6.438	3.079	0.015	500
752TF	9.375	7.250	6.380	5.780	3.132			0.020	225
379TF	9.687	3.500	6.434	2.723	2.165	8.500	3.062	0.020	400
293TF	8.937	4.219	6.520	3.356	0.398	8.000	3.937	0.015	400
294TF	8.937	4.219	6.520	3.356	0.895	8.000	3.937	0.015	400
526577	8.000	4.000	6.600	3.400	1.000	6.938	3.688	0.170	200
403TF	8.125	5.000	6.700	4.075	1.300	7.125	4.375	0.020	300
404TF	8.125	5.000	6.700	4.075	1.625	7.125	4.375	0.020	300
406TF	8.125	5.000	6.700	4.075	2.900			0.020	300
377TF	9.687	3.500	6.937	2.875	1.625	8.500	3.062	0.018	400
905TF	11.062	9.375	7.166	7.912	2.488	9.937	8.687	0.024	150
378TF	9.687	3.500	7.192	1.398	1.125	8.500	3.062	0.018	400
291TF	9.062	4.375	7.210	0.989	0.525	7.937	3.812	0.015	400
094465	9.375	6.000	7.750	5.000	1.750	8.187	5.437	0.020	50
501TF	10.750	5.125	7.805	3.341	1.096	9.625	4.587	0.015	350
507TF	10.750	5.125	8.034	2.744	1.305	9.625	4.587	0.020	300
587TF	10.875	6.812	8.183	5.938	0.500	9.750	6.250	0.015	250
581TF	10.875	6.812	8.209	5.970	2.468			0.015	250
505TF	10.750	5.125	8.491	3.690	0.373	9.625	4.587	0.015	400
502TF	10.750	5.125	8.577	3.847	1.408	9.625	4.587	0.020	300
578TF	10.875	6.812	8.625	5.750	0.375	9.750	6.250	0.015	250
506TF	10.750	5.125	9.024	4.385	3.063			0.020	300
504TF	10.750	5.125	9.164	4.130	2.500			0.015	350
580TF	10.875	6.812	9.250	5.062	1.000	9.750	6.250	0.015	250
577TF	10.875	6.812	9.250	5.750	1.125	9.750	6.250	0.015	250
579TF	10.875	6.812	9.250	5.750	2.250			0.015	250
500TF	10.750	5.125	9.375	4.250	1.500	9.625	4.587	0.015	350
590TF	10.875	6.812	9.489	5.995	3.759			0.024	200
588TF	10.875	6.812	9.500	6.000	1.125	9.750	6.250	0.015	250
901TF	11.062	9.375	9.500	8.250	2.000	9.937	8.687	0.024	150
902TF	11.062	9.375	9.500	8.250	2.500	9.937	8.687	0.024	150
903TF	11.062	9.375	9.500	8.250	3.062			0.024	150
900TF	11.062	9.375	9.500	8.250	4.500			0.024	150
661TF	13.000	6.150	10.123	3.711	2.185	11.760	5.550	0.020	250
1101TF	12.000	12.000	10.413	9.418	1.493	10.875	11.500	0.018	150
1102TF	12.000	12.000	10.413	11.000	1.375	10.875	11.500	0.018	125
606TF	14.500	5.125	10.483	4.314	1.493	13.312	4.687	0.015	200
604TF	14.500	5.125	10.494	4.332	1.025	13.312	4.687	0.015	200
1100TF	12.000	12.000	10.500	11.000	3.000			0.018	150
605TF	14.500	5.125	12.844	4.250	1.000	13.312	4.687	0.015	200
600TF	14.500	5.125	12.875	4.332	1.500	13.312	4.687	0.015	200
603TF	14.500	5.125	12.875	4.332	2.125	13.312	4.687	0.018	200
601TF	14.500	5.125	12.875	4.332	3.017			0.020	200
602TF	14.500	5.125	12.875	4.332	3.750			0.020	200